

Addendum 1

March 22, 2016

Re: ITB 16-76E

All Bidders:

This addendum is issued in response to question(s) from a prospective bidder(s).

Are there drawings and specs as none is to be found in the solicitation? Due to my omission, please see the attached document.

1 Atch Drawing and Specs/Notes

Yours truly,

Nevador Evans, CPPB Buyer



CURRENCY TRAYS



COUNTRY TOP





WITH BULLET TRAP

FEATURES

- WIDE RANGE OF SIZES AVAILABLE
- WELDED STAINLESS STEEL
- CONSTRUCTION
- NO EXPOSED PASTENERS
- **EASY INSTALLATION**

COURTER TOP

The bullet resisting counter top deal tray is designed to defeat ballistic assaults from Level 1, 1 and 3 handguns. (When bullet trap is included) The deal tray is easily installed on existing counters. The tray is constructed with 18 BA Stainless steel and has a #4 brushed satio finish, all joints welded and ground

- No counter cut out required
 Brushed stainless ateal finish

Standard available sizes: 12" x 8" x 2"

144 x 8" x 2" 16"x 8" x 2"

Custom sizes avaibable

COUNTER RECESSED

The bullet resisting counter recessed deel tray is designed to defeat ballistic assaults from Levels 1, 2 and 3 handgure. (When bullet trap is included). The deal tray is eas ly installed in existing or new co (nims). The tray is constructed with 13 GA Stoinless steel and has a #4 trushed satin finish, all joints welded and ground amooth,

The tray is available with notifit on each side that allows for glassing materials to be recessed into countar top.

- · Installed flush with counter top
- · Glazing notch option availat is

Avellable stres:

8" x 8" x 1-1/2" 10" x 10" x 1-1/2"

12" x 8" x 1-1/2" 14" x 8" x 1-1/2"

16" × 8" × 1-1/2"

14" x 13" x 2-1/2"

14" x 17"x 1-3/4"

*Custom sizes available

×

COUNTER RECESSED WASHILLED TRAIT

The bullet resisting counter recessed deal tray with bullet trap is designed to allow the assault bullet to penetrate the deal tray and be confined in the builet trap. The trap will resist assaults from Level 1, 2 and 3 handgons. The unit is settly installed in existing or new counters. The tray is constructed with 18 GA Stainless steel and has a #4 brushed satin finish, all joints welded and ground amouth. Bullet trap is constructed of steel plate with all joints welded. Trays available with notch on each side that allows for glazing material to be recessed in counter top.

- Installed thish with counter top
- Glazing notch option available
- Eliminated Roocheting bullets from tray
- Build tray constructed of welded steel plates

Available xizos: 8" x 8" x 1-1/2" 10" x 10" x 1-1/2" 12" x 8" x 1-1/2"

14" x 8" x 1-1/2"

16" x 8" x 1-1/2"

14" x 13" x 2-1/2" 14" x 17" x 1-3/4"

14"×10"×1%"

☐ APPROVED

APPROVED AS CORRECT

☐ REVISE AND RESUBMIT

☐ NOT APPROVED

4 10% E45.2

Checking is only for conformance with the design ; of the Project and compliance with the informatio in the Contract Document. Contractor is responsi dimensions to be confirmed and correlated at the je for information that pertains solely to the fabrican processes or to techniques of construction and for coordination of the work of all trades.

CITY OF NEWPORT NEWS ENGINEERING DEPARTMEN


Date Offs Place II By Stay

Tracemus of mouth impositive Plantics IF EV

Phone: (800) 624-6315

www.insulgard.com

D\$138-1103




M	APPROVED
	APPROVED AS CORRECTED
	REVISE AND RESUBMIT
	NOT APPROVED

Checking is only for conformance with the design concept of the Project and compliance with the information given in the Contract Document. Contractor is responsible for dimensions to be confirmed and correlated at the job site; for information that pertains solely to the fabrication processes or to techniques of construction and for coordination of the work of all trades.

CITY OF NEWPORT NEWS ENGINEERING DEPARTMENT

Date 14/28/2011 By 5 Kg




 ססס	01	TT)	

- ☐ APPROVED AS CORRECTED
- ☐ REVISE AND RESUBMIT
- ☐ NOT APPROVED

Checking is only for conformance with the design concept of the Project and compliance with the information given in the Contract Document. Contractor is responsible for dimensions to be confirmed and correlated at the jub site; for information that pertains solely to the fabrication processes or to techniques of construction and for coordination of the work of all trades.

CITY OF NEWPORT NEWS ENGINEERING DEPARTMENT

Date 04/202011 By Skay



- ☐ APPROVED
- ☐ APPROVED AS CORRECTED
- ☐ REVISE AND RESUBMIT
- \square NOT APPROVED

Checking is only for conformance with the design concept of the Project and compliance with the information given in the Contract Document. Contractor is responsible for dimensions to be confirmed and correlated at the job site; for information that pertains solely to the fabrication processes or to techniques of construction and for coordination of the work of all trades.

CTTY OF NEWPORT NEWS ENGINEERING DEPARTMENT

Date 04/28/2011 By 5 Kay

